



B/I FW

ATTORNEY DOCKET NO. 43890-559
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:)
Takahiro Komatsu et al.) Customer No.: 20277
Serial No.: 10/051,298) Confirmation No.: 4775
Filed: January 22, 2002) Group Art Unit: 2879
Examiner: MARICELI SANTIAGO
For: ORGANIC ELECTROLUMINESCENT ELEMENT,)
PANEL AND APPARATUS USING THE SAME)

RESPONSE TO NOTICE OF DRAWING INCONSISTENCY

Mail Stop AF
Hon. Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:


In response to the Notice Of Drawing InConsistency dated July 21, 2004, Applicants respectfully submit a revised drawing of Figs. 6(a1)-6(f2). As shown, Figs. 6(a2), Fig. 6(b2) and Fig. 6(d2) are properly identified in the revised drawing, thereby eliminating the improper reference to multiple drawings identified as Fig. 6. It is submitted that the revised drawing corresponds to the originally filed specification.

Respectfully submitted,

MCDERMOTT, WILL & EMERY

Michael E. Fogarty
Registration No. 36,139

600 13th Street, N.W.
Washington, DC 20005-3096
(202) 756-8000 MEF:rp
Facsimile: (202) 756-8087
Date: August 20, 2004



10/051,278

UNITED STATES PATENT AND TRADEMARK OFFICE

UNDER SECRETARY OF COMMERCE FOR INTELLECTUAL PROPERTY AND
DIRECTOR OF THE UNITED STATES PATENT AND TRADEMARK OFFICE

NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

The drawings filed 1-22-02 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures _____ are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 6,6 are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b)**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

Return Corrected Drawings/Specification to:

Mail Stop Issue Fee
Commissioner for Patents
P.O. Box 1450

Alexandria, VA 22313-1450

Office of Patent Publication/Publishing Division
Customer Service: 703-308-6789
1-888-786-0101